Neuroscience Letters, 114 (1990) 356–360
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Aguirre, J.A., see Covenas, R., 160
Allen, S.L., see Myall, O.T., 305
Amato, G., see Crescimanno, G., 289
Andrews, R.J., Knight, R.T. and Kirby, R.P., Evoked potential mapping of auditory and somatosensory cortices in the miniature swine, 27
Arlock, P., see Fallgren, B., 117
Asala, S.A., Okano, Y., Honda, K. and Inoué, S., Effects of medial preoptic area lesions on sleep and wakefulness in unrestrained rats, 300
Autilio-Gambetti, L., see Migheli, A., 5

Baimbridge, K.G., see Oliver, M.W., 197
Baldy-Moulinier, M., see Valmier, J., 39
Barbella, Y., see Israel, A., 107
Beal, J.A., see Knight, D.S., 173
Beart, P.M., see Verberne, A.J.M., 309
Becemberg, I., see Israel, A., 107
Benavides, J., Dubois, A., Gotti, B., Bourdiol, F. and Scatton, B., Cellular distribution of 3 (peripheral type benzodiazepine) binding sites in the normal and ischaemic rat brain: an autoradiographic study with the photoaffinity ligand [^{3}H]PK *14105*, 32
Benech, C., Sotelo Jr., J.R., Martinez, R. and Correa-Luna, R., Effects of gangliosides on the methionine uptake in crushed sciatic nerves of rats with alloxan diabetes, 220
Bourdiol, F., see Benavides, J., 32
Brackley, P., *Goodnow Jr., R., Nakanishi, K.*, Sudan, H.L. and Usherwood, P.N.R., Spermine and philanthotoxin potentiate excitatory amino acid responses of *Xenopus* oocytes injected with rat and chick brain RNA, 51
Brancati, A., see D'Arcangelo, P., 82
Bugiani, O., see Giaccone, G., 178
Buisseret-Delmas, C., see Nosjean, A., 22
Bunnemann, B., Fuxe, K., Metzger, R., Mullins, J., Jackson, T.R., Hanley, M.R. and Ganten, D., Autoradiographic localization of *mas* proto-oncogene mRNA in adult rat brain using in situ hybridization, 147

Cecconi, R., see Maggi, C.A., 203
Chmielewski, P.A., see Miller, J.A., 351
Cicero, S.R., see Knight, D.S., 173
Cintra, A., see Covenas, R., 160
Coddington, J.M., see Milne, R.J., 259
Collingridge, G.L., see Randall, A.D., 191
Compoint, C., see Nosjean, A., 22
Correa-Luna, R., see Benech, C., 220
Cortimiglia, R., see Crescimanno, G., 289
Covenas, R., Fuxe, K., Cintra, A., Aguirre, J.A., Goldstein, M. and Ganten, D., Evidence for the existence of angiotensin II like immunoreactivity in subpopulations of tyrosine hydroxylase immunoreactive neurons in the A1 and C1 area of the ventral medulla of the male rat, 160
Crescimanno, G., Salerno, M.T., Cortimiglia, R. and Amato, G., Effect of claustrum stimulation on neurons of the contralateral medial oculomotor area, in the cat, 289
Crönlein, J., Reuss, S. and Vollrath, L., Investigations on day–night differences of vesicle densities in synapses of the rat suprachiasmatic nucleus, 167
Crunelli, V., see Juhász, G., 333
Cruz-Sánchez, F., see Ferrer, I., 11

D'Arcangelo, P. and Brancati, A., Distribution of *N*-acetylaspartate, *N*-acetylaspartylglutamate, free glutamate and aspartate following complete mesencephalic transection in rat neuraxis, 82
Daya, S., Nonaka, K.O. and Reiter, R.J., Melatonin counteracts the 5-aminolevulinic acid-induced rise of rat forebrain tryptophan and serotonin concentrations at night, 113
Dean, R.G. and White, B.D., Neuropeptide Y expression in rat brain: effects of adrenalectomy, 339
Deana, A. and Scuka, M., The effect of forskolin on the response of acetylcholine receptors in frog sartorius endplate, 272
Del Bianco, E., see Geppetti, P., 101
Del Rosario Garrido, M., see Israel, A., 107
Deutch, A.Y., see Elsworth, J.D., 316
Dick, T.E., Artificial averaged 'twitch tension' waveforms resulting from synchronized activity: recording from feline diaphragmatic motor units, 57
Dubois, A., see Benavides, J., 32
Dudel, J., Franke, Ch., Hatt, H., Ramsey, R.L. and Usherwood, P.N.R., Glutamatergic channels in locust muscle show a wide time range of desensitization and resensitization characteristics, 207

0304-3940/90/$ 03.50 © 1990 Elsevier Scientific Publishers Ireland Ltd.

Neuroscience Letters, 114 (1990) 356–360
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Aguirre, J.A., see Covenas, R., 160
Allen, S.L., see Myall, O.T., 305
Amato, G., see Crescimanno, G., 289
Andrews, R.J., Knight, R.T. and Kirby, R.P., Evoked potential mapping of auditory and somatosensory cortices in the miniature swine, 27
Arlock, P., see Fallgren, B., 117
Asala, S.A., Okano, Y., Honda, K. and Inoué, S., Effects of medial preoptic area lesions on sleep and wakefulness in unrestrained rats, 300
Autilio-Gambetti, L., see Migheli, A., 5

Baimbridge, K.G., see Oliver, M.W., 197
Baldy-Moulinier, M., see Valmier, J., 39
Barbella, Y., see Israel, A., 107
Beal, J.A., see Knight, D.S., 173
Beart, P.M., see Verberne, A.J.M., 309
Becemberg, I., see Israel, A., 107
Benavides, J., Dubois, A., Gotti, B., Bourdiol, F. and Scatton, B., Cellular distribution of 3 (peripheral type benzodiazepine) binding sites in the normal and ischaemic rat brain: an autoradiographic study with the photoaffinity ligand [^{3}H]PK *14105*, 32
Benech, C., Sotelo Jr., J.R., Martinez, R. and Correa-Luna, R., Effects of gangliosides on the methionine uptake in crushed sciatic nerves of rats with alloxan diabetes, 220
Bourdiol, F., see Benavides, J., 32
Brackley, P., *Goodnow Jr., R., Nakanishi, K.*, Sudan, H.L. and Usherwood, P.N.R., Spermine and philanthotoxin potentiate excitatory amino acid responses of *Xenopus* oocytes injected with rat and chick brain RNA, 51
Brancati, A., see D'Arcangelo, P., 82
Bugiani, O., see Giaccone, G., 178
Buisseret-Delmas, C., see Nosjean, A., 22
Bunnemann, B., Fuxe, K., Metzger, R., Mullins, J., Jackson, T.R., Hanley, M.R. and Ganten, D., Autoradiographic localization of *mas* proto-oncogene mRNA in adult rat brain using in situ hybridization, 147

Cecconi, R., see Maggi, C.A., 203
Chmielewski, P.A., see Miller, J.A., 351
Cicero, S.R., see Knight, D.S., 173
Cintra, A., see Covenas, R., 160
Coddington, J.M., see Milne, R.J., 259
Collingridge, G.L., see Randall, A.D., 191
Compoint, C., see Nosjean, A., 22
Correa-Luna, R., see Benech, C., 220
Cortimiglia, R., see Crescimanno, G., 289
Covenas, R., Fuxe, K., Cintra, A., Aguirre, J.A., Goldstein, M. and Ganten, D., Evidence for the existence of angiotensin II like immunoreactivity in subpopulations of tyrosine hydroxylase immunoreactive neurons in the A1 and C1 area of the ventral medulla of the male rat, 160
Crescimanno, G., Salerno, M.T., Cortimiglia, R. and Amato, G., Effect of claustrum stimulation on neurons of the contralateral medial oculomotor area, in the cat, 289
Crönlein, J., Reuss, S. and Vollrath, L., Investigations on day–night differences of vesicle densities in synapses of the rat suprachiasmatic nucleus, 167
Crunelli, V., see Juhász, G., 333
Cruz-Sánchez, F., see Ferrer, I., 11

D'Arcangelo, P. and Brancati, A., Distribution of *N*-acetylaspartate, *N*-acetylaspartylglutamate, free glutamate and aspartate following complete mesencephalic transection in rat neuraxis, 82
Daya, S., Nonaka, K.O. and Reiter, R.J., Melatonin counteracts the 5-aminolevulinic acid-induced rise of rat forebrain tryptophan and serotonin concentrations at night, 113
Dean, R.G. and White, B.D., Neuropeptide Y expression in rat brain: effects of adrenalectomy, 339
Deana, A. and Scuka, M., The effect of forskolin on the response of acetylcholine receptors in frog sartorius endplate, 272
Del Bianco, E., see Geppetti, P., 101
Del Rosario Garrido, M., see Israel, A., 107
Deutch, A.Y., see Elsworth, J.D., 316
Dick, T.E., Artificial averaged 'twitch tension' waveforms resulting from synchronized activity: recording from feline diaphragmatic motor units, 57
Dubois, A., see Benavides, J., 32
Dudel, J., Franke, Ch., Hatt, H., Ramsey, R.L. and Usherwood, P.N.R., Glutamatergic channels in locust muscle show a wide time range of desensitization and resensitization characteristics, 207

0304-3940/90/$ 03.50 © 1990 Elsevier Scientific Publishers Ireland Ltd.

Eaton, S.A., see Salt, T.E., 295
Edvinsson, L., see Fallgren, B., 117
Elsworth, J.D., Deutch, A.Y., Redmond Jr., D.E., Sladek Jr., J.R. and Roth, R.H., MPTP reduces dopamine and norepinephrine concentrations in the supplementary motor area and cingulate cortex of the primate, 316
Emri, Z., see Juhász, G., 333

Fallgren, B., Arlock, P., Jansen, I. and Edvinsson, L., Neuropeptide Y in cerebrovascular function: comparison of membrane potential changes and vasomotor responses evoked by NPY and other vasoconstrictors in the guinea pig basilar artery, 117
Fay, R.M., Johannessen, J.N., Zhang, D.X. and Mayer, D.J., Differential uptake of HRP by intact axon terminals versus transected axons: a study on bulbospinal fibers in the dorsolateral funiculus, 141
Ferrer, I., Guionnet, N., Cruz-Sánchez, F. and Tunón, T., Neuronal alterations in patients with dementia: a Golgi study on biopsy samples, 11
Ferssiwi, A., see Touzani, K., 17
Finazzi, M., see Giaccone, G., 178
Frangione, B., see Giaccone, G., 178
Franke, Ch., see Dudel, J., 207
Franklin, P.H., see Zhang, G., 345
Fritzsch, B. and Sonntag, R., Oculomotor (N III) motoneurons can innervate the superior oblique muscle of *Xenopus* after larval trochlear (N IV) nerve surgery, 129
Fuxe, K., see Bunnemann, B., 147
Fuxe, K., see Covenas, R., 160

Gahery, Y., see Luccarini, P., 75
Gaiti, A., see Strosznajder, J., 329
Gambetti, P., see Migheli, A., 5
Gamble, G.D., see Milne, R.J., 259
Ganten, D., see Bunnemann, B., 147
Ganten, D., see Covenas, R., 160
Garcia, M.T., see Ortiz, J.G., 231
Geppetti, P., Tramontana, M., Patacchini, R., Del Bianco, E., Santicioli, P. and Maggi, C.A., Neurochemical evidence for the activation of the 'efferent' function of capsaicin-sensitive nerves by lowering of the pH in the guinea-pig urinary bladder, 101
Giaccone, G., Verga, L., Finazzi, M., Pollo, B., Tagliavini, F., Frangione, B. and Bugiani, O., Cerebral preamyloid deposits and congophilic angiopathy in aged dogs, 178
Gohda, E., see Yanagida, M., 323
Goldstein, M., see Covenas, R., 160
Gonzalez, A., see Smeets, W.J.A.J., 248
Goodnow Jr., R., see Brackley, P., 51
Goracci, G., see Strosznajder, J., 329
Gotti, B., see Benavides, J., 32
Guionnet, N., see Ferrer, I., 11
Gundlach, A.L., Wisden, W., Morris, B.J. and Hunt, S.P., Localization of preprogalanin mRNA in rat brain: in situ hybridization study with a synthetic oligonucleotide probe, 241

Hanley, M.R., see Bunnemann, B., 147
Hans, M., Illes, P. and Takeda, K., The blocking effects of ω-conotoxin on Ca current in bovine chromaffin cells, 63
Hatt, H., see Dudel, J., 207
Hayward, J.N., see Meeker, R.B., 225
Hirata, Y., see Shimazaki, K., 1
Honda, K., see Asala, S.A., 300
Honda, Y., see Kodama, T., 277
Hunt, S.P., see Gundlach, A.L., 241

Iga, Y., see Ogane, N., 95
Illes, P., see Hans, M., 63
Inoué, S., see Asala, S.A., 300
Israel, A., Del Rosario Garrido, M., Mathison, Y., Barbella, Y. and Becemberg, I., Brain natriuretic peptide stimulates particulate guanylate cyclase activity in selected areas of the rat brain, 107

Jackson, T.R., see Bunnemann, B., 147
Jansen, I., see Fallgren, B., 117
Jarrott, B., see Verberne, A.J.M., 309
Jay, T.M., see Laroche, S., 184
Jean, A., see Schaffar, N., 253
Johannessen, J.N., see Fay, R.M., 141
Juhász, G., Kékesi, K., Emri, Z., Soltesz, I. and Crunelli, V., Sleep-promoting action of excitatory amino acid antagonists: a different role for thalamic NMDA and non-NMDA receptors, 333

Kavaliers, M., see Ossenkopp, K.-P., 89
Kawai, N., see Shimazaki, K., 1
Kawanishi, G., see Ogane, N., 95
Kirby, R.P., see Andrews, R.J., 27
Knight, D.S., Russell, H.W., Cicero, S.R. and Beal, J.A., Transitory inner medullary nerve terminals in the cat kidney, 173
Knight, R.T., see Andrews, R.J., 27

Kodama, T., Takahashi, Y. and Honda, Y., Enhancement of acetylcholine release during paradoxical sleep in the dorsal tegmental field of the cat brain stem, 277
Kriegstein, A.R., see LoTurco, J.J., 265
Kékesi, K., see Juhász, G., 333

Laguzzi, R., see Nosjean, A., 22
Laroche, S., Jay, T.M. and Thierry, A.-M., Long-term potentiation in the prefrontal cortex following stimulation of the hippocampal CA1/subicular region, 184
Lipa, S., see Ossenkopp, K.-P., 89
LoTurco, J.J., Mody, I. and Kriegstein, A.R., Differential activation of glutamate receptors by spontaneously released transmitter in slices of neocortex, 265
Louis, W.J., see Verberne, A.J.M., 309
Luccarini, P., Gahery, Y. and Pompeiano, O., Injection of a cholinergic agonist in the dorsolateral pontine tegmentum of cats affects the posturokinetic responses to cortical stimulation, 75
Lynch, G., see Oliver, M.W., 197

Maggi, C.A., Tramontana, M., Cecconi, R. and Santicioli, P., Neurochemical evidence for the involvement of N-type calcium channels in transmitter secretion from peripheral endings of sensory nerves in guinea pigs, 203
Maggi, C.A., see Geppetti, P., 101
Maldonaldo, C.S., see Ortiz, J.G., 231
Martinez, R., see Benech, C., 220
Masuo, Y., Pélaprat, D., Scherman, D. and Rostène, W., [^{3}H]Dihydrotetrabenazine, a new marker for the visualization of dopaminergic denervation in the rat striatum, 45
Mathison, Y., see Israel, A., 107
Matsuda, S., Saito, H. and Nishiyama, N., Basic fibroblast growth factor suppressed the enhancement of choline acetyltransferase activity induced by nerve growth factor, 69
Mayer, D.J., see Fay, R.M., 141
McLean, W.G., see Myall, O.T., 305
Meeker, R.B., Michels, K.M. and Hayward, J.N., Vasopressin and oxytocin regulation of cyclic AMP accumulation in rat hypothalamo-neurohypophysial explants in vitro, 225
Mengod, G., see Vilaró, M.R., 154
Merahi, N., see Nosjean, A., 22
Metzger, R., see Bunnemann, B., 147
Michels, K.M., see Meeker, R.B., 225
Migheli, A., Autilio-Gambetti, L., Gambetti, P., Mocellini, C., Vigliani, M.C. and Schiffer, D., Ubiquitinated filamentous inclusions in spinal cord of patients with motor neuron disease, 5
Miller, J.A. and Chmielewski, P.A., The regulation of high-affinity choline uptake in vitro in rat cortical and hippocampal synaptosomes by β-carbolines administered in vivo, 351
Milne, R.J., Coddington, J.M. and Gamble, G.D., Quaternary naloxone blocks morphine analgesia in spinal but not intact rats, 259
Mizobe, F., see Ogane, N., 95
Mocellini, C., see Migheli, A., 5
Mody, I., see LoTurco, J.J., 265
Morris, B.J., see Gundlach, A.L., 241
Mullins, J., see Bunnemann, B., 147
Murray, T.F., see Zhang, G., 345
Myall, O.T., Allen, S.L. and McLean, W.G., The effect of 2,5-hexanedione on the induction of ornithine decarboxylase in the dorsal root ganglion of the rat, 305

Nakajima, T., see Shimazaki, K., 1
Nakanishi, K., see Brackley, P., 51
Negrón, A.E., see Ortiz, J.G., 231
Nelson, S.R., see Terry, J.B., 123
Nishiyama, N., see Matsuda, S., 69
Nonaka, K.O., see Daya, S., 113
Nosjean, A., Compoint, C., Buisseret-Delmas, C., Orer, H.S., Merahi, N., Puizillout, J.-J. and Laguzzi, R., Serotonergic projections from the nodose ganglia to the nucleus tractus solitarius: an immunohistochemical and double labeling study in the rat, 22

Ogane, N., Takada, Y., Iga, Y., Kawanishi, G. and Mizobe, F., Effects of a M_1 muscarinic receptor agonist on the central cholinergic system, evaluated by brain microdialysis, 95
Okano, Y., see Asala, S.A., 300
Oliver, M.W., Schacklock, J.A., Lynch, G. and Baimbridge, K.G., The glycine site modulates NMDA-mediated changes of intracellular free calcium in cultures of hippocampal neurons, 197
Orer, H.S., see Nosjean, A., 22
Ortiz, J.G., Negrón, A.E., Garcia, M.T., Rosado, J.E. and Maldonaldo, C.S., The C57BL/10Bg sps/sps mouse: a mutant with absence-like seizures; neurochemical and behavioral correlates, 231
Ossenkopp, K.-P., Kavaliers, M. and Lipa, S., Increased mortality in land snails (*Cepaea nemoralis*) exposed to powerline (60-Hz) magnet-

ic fields and effects of the light–dark cycle, 89
Ovadia, H., see Saphier, D., 283

Padzernik, T.L., see Terry, J.B., 123
Palacios, J.M., see Vilaró, M.R., 154
Pastuszko, A., see Yee, D.K., 213
Pastuszko, P., see Yee, D.K., 213
Patacchini, R., see Geppetti, P., 101
Pélaprat, D., see Masuo, Y., 207
Pio, J., see Schaffar, N., 253
Pollo, B., see Giaccone, G., 178
Pompeiano, O., see Luccarini, P., 75
Puizillout, J.-J., see Nosjean, A., 22

Ramsey, R.L., see Dudel, J., 207
Randall, A.D., Schofield, J.G. and Collingridge, G.L., Whole-cell patch-clamp recordings of an NMDA receptor-mediated synaptic current in rat hippocampal slices, 191
Redmond Jr., D.E., see Elsworth, J.D., 316
Reiter, R.J., see Daya, S., 113
Reuss, S., see Crönlein, J., 167
Rosado, J.E., see Ortiz, J.G., 231
Rostène, W., see Ortiz, J.G., 231
Roth, R.H., see Elsworth, J.D., 316
Russell, H.W., see Knight, D.S., 173

Saito, H., see Matsuda, S., 69
Salerno, M.T., see Crescimanno, G., 289
Salt, T.E. and Eaton, S.A., Postsynaptic potentials evoked in ventrobasal thalamus neurones by natural sensory stimuli, 295
Santicioli, P., see Geppetti, P., 101
Santicioli, P., see Maggi, C.A., 203
Saphier, D. and Ovadia, H., Selective facilitation of putative corticotropin-releasing factor-secreting neurones by interleukin-1, 283
Scatton, B., see Benavides, J., 32
Schacklock, J.A., see Oliver, M.W., 197
Schaffar, N., Pio, J. and Jean, A., Selective retrograde labeling of primary vagal afferent cell-bodies after injection of [^{3}H]D-aspartate into the rat nucleus tractus solitarii, 253
Scherman, D., see Masuo, Y., 45
Schiffer, D., see Migheli, A., 5
Schofield, J.G., see Randall, A.D., 191
Scott, S.A., Time of origin of substance P-positive neurons in chick dorsal root ganglia, 135
Scuka, M., see Deana, A., 272
Shimazaki, K., Hirata, Y., Nakajima, T. and Kawai, N., A histochemical study of glutamate receptor in rat brain using biotinyl spider toxin, 1
Sladek Jr., J.R., see Elsworth, J.D., 316
Smeets, W.J.A.J. and Gonzalez, A., Are putative dopamine-accumulating cell bodies in the hypothalamic periventricular organ a primitive brain character of non-mammalian vertebrates?, 248
Soltesz, I., see Juhász, G., 333
Sonntag, R., see Fritzsch, B., 129
Sotelo Jr., J.R., see Benech, C., 220
Strosznajder, J., Goracci, G., and Gaiti, A., Synaptic vesicle-bound phospholipase(s) acting on phosphatidylinositol exhibit(s) high susceptibility to brain ischemia, 329
Sudan, H.L., see Brackley, P., 51

Tafti, M., see Valmier, J., 39
Tagliavini, F., see Giaccone, G., 178
Takada, Y., see Ogane, N., 95
Takahashi, Y., see Kodama, T., 277
Takeda, K., see Hans, M., 63
Terry, J.B., Padzernik, T.L. and Nelson, S.R., Effect of LiCl pretreatment on cholinomimetic-induced seizures and seizure-induced brain edema in rats, 123
Thierry, A.-M., see Laroche, S., 184
Touzani, K., Ferssiwi, A. and Velley, L., Localization of lateral hypothalamic neurons projecting to the medial part of the parabrachial area of the rat, 17
Tramontana, M., see Geppetti, P., 101
Tramontana, M., see Maggi, C.A., 203
Tunón, T., see Ferrer, I., 11

Usherwood, P.N.R., see Brackley, P., 51
Usherwood, P.N.R., see Dudel, J., 207

Valmier, J., Tafti, M. and Baldy-Moulinier, M., Skeletal muscle extracts promote the survival of neurofilament-positive mammalian sensory neurons, 39
Velley, L., see Touzani, K., 17
Verberne, A.J.M., Widdop, R.E., Jarrott, B., Beart, P.M. and Louis, W.J., Intrathecal kynurenate reduces arterial pressure, heart rate and baroreceptor-heart rate reflex in conscious rats, 309
Verga, L., see Giaccone, G., 178
Vigliani, M.C., see Migheli, A., 5
Vilaró, M.R., Palacios, J.M. and Mengod, G., Localization of m5 muscarinic receptor mRNA in rat brain examined by in situ hybridization

histochemistry, 154
Vollrath, L., see Crönlein, J., 167

White, B.D., see Dean, R.G., 339
Widdop, R.E., see Verberne, A.J.M., 309
Wilson, D.F., see Yee, D.K., 213
Wisden, W., see Gundlach, A.L., 241

Yamamoto, I., see Yanagida, M., 323
Yanagida, M., Gohda, E. and Yamamoto, I., Dibutyrylcytidine 3'5'-cyclic monophosphate stimulates neurite outgrowth in rat phenochromocytoma PC12, 323
Yee, D.K., Pastuszko, P., Pastuszko, A. and Wilson, D.F., Purification of neurocatin, a neuroregulatory factor from brain, 213

Zhang, D.X., see Fay, R.M., 141
Zhang, G., Franklin, P.H. and Murray, T.F., Anticonvulsant effect of *N*-ethylcarboxamidoadenosine against kainic acid-induced behavioral seizures in the rat prepiriform cortex, 345

CONTENTS *(continued from back cover)*

Neuropeptide Y expression in rat brain: effects of adrenalectomy
R.G. Dean and B.D. White (U.S.A.) 339
Anticonvulsant effect of *N*-ethylcarboxamidoadenosine against kainic acid-induced behavioral seizures in the rat prepiriform cortex
G. Zhang, P.H. Franklin and T.F. Murray (U.S.A.) 345
The regulation of high-affinity choline uptake in vitro in rat cortical and hippocampal synaptosomes by β-carbolines administered in vivo
J.A. Miller and P.A. Chmielewski (U.S.A.) 351

Author Index 356